



FLB 681

Product Release Document

Marketing Department.

Oct 6, 2022

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document are true to the best of our knowledge as on the above-said date, for updated information please feel free to visit the website www.ascensotyres.com

List of Sizes

ReleaseMonth: Oct'6

Brand: ASCENSO

Tread Pattern : FLB 681

Tyre Construction: Bias

Type: Tube Type

Main Applications: Forklift

TRA Code : NHS

Size	LSI
10.00-20 HD	18
12.00-20 HD	20



Salient Features

- Specially designed Tread
 - Ensures optimum load distribution with wide footprint for better stability
- Unique Block Pattern
 - Ensures resistance against abrasions, punctures, and impacts
- Strong casing for high load applications



Technical Specification

Size	Rim	Unloaded Dimensions		Static Load Radius	Static Load Radius	PR & LI	Inflation Pressure	Recommended load (kg)	
		SW	OD					Speed	
								Load Wheel	Steer Wheel
								mm	mm
in	in	in	in	bar	15 kmph	25 kmph			
						psi	9 mph	16 mph	
10.00-20	7.5	284	1074	487	3212	18	10	6890	5300
		11.2	42.3	19.2	126.5		145	15190	11685
12.00-20	8.5	315	1146	517	3427	20	10	9230	7100
		12.4	45.1	20.4	134.9		145	20349	15653

Note: All tyres conform to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com