



THB 230

New Product Release Document

Marketing Department.

March 08, 2021

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website www.ascensotyres.com

New Product Release Document

Release Month: March'21

Brand: ASCENSO

Tread Pattern : THB 230

Tyre Construction: Bias

Type: Tube Less

Main Applications: Telehandler

TRA Code : R-1

List of Sizes

Size	PR
405/70-20	14
405/70-24	14
15.5/80-24	12 ,16



Salient Features

Specially Designed Directional Tread Pattern:

- Ensures traction & self cleaning properties
- Provides excellent stability during vehicle operation

Strong Nylon Carcass:

- Safeguards the tyre against failures



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Infl. Pressure	Recommend load, kg (lbs)		
		SW	OD					Speed, km/h(mph)		
		mm	mm				mm	mm	Bar	40
		In	in				in	in	Psi	25
405/70-20 (16.0/70-20)	13	418	1075	488	3216	14 PR 149 B	3.5	3250		
		16.5	42.3	19.2	126.6		51	7150		
405/70-24 (16.0/70-24)	13	418	1177	539	3521	14 PR 152 B	3.5	3550		
		16.5	46.3	21.2	138.6		51	7810		
15.5/80-24 (400/80-24)	13	394 15.5	1266 49.8	576 22.7	3787 149.1	12 PR 157 A8	3	4125		
							44	9094		
						16 PR 163 A8	5	4875		
							73	10725		

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover