



LOAD CERTIFICATES: 480/80R26

Brand: ASCENSO

Tread Pattern : MIR 220

Tyre Construction: Radial

LSI : 167 A8/B

Type: Tube Less

Main Applications: Wheel loaders, backhoe loaders and telehandlers

TRA Code : R-1



Salient Features

Robust Steel Belted Design:

- Improved Tread design- Provides better traction
- Enhanced Carcass- Stability for both On and Off-road operations.
- Excellent self-cleaning properties.
- Steel belted Construction for longer Tyre life.



Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)								
		SW	OD					Speed, km/h (mph)							Cyclic Applications	
								Constant Load								
		mm	mm					mm	mm	mm	mm	mm	mm	mm	mm	mm
		in	in					in	in	in	in	in	in	in	in	in
480/80R26	DW15L	479 18.9	1428 56.2	647 25.5	4271 168.1	167 A8/B	bar	Static	10	25	30	40	50	10	15	
							psi	Static	6	16	19	25	31	6	9	
							1.9	6830	3710	3150	3090	2970	2970	4460	3980	
							28	15040	8170	6940	6810	6540	6540	9820	8770	
							2	7910	4300	3650	3580	3440	3440	5160	4610	
							33	17420	9470	8040	7890	7580	7580	11370	10150	
							2.8	9270	5040	4270	4190	4030	4030	6050	5400	
							41	20420	11100	9410	9230	8880	8880	13330	11890	
							3.4	10900	5930	5050	4930	4740	4740	7110	6350	
							49	24010	13060	11120	10860	10440	10440	15660	13990	
							4	12540	6810	5780	5670	5450	5450	8180	7300	
							58	27620	15000	12730	12490	12000	12000	18020	16080	
							4.2	---	---	---	---	---	---	5690	8540	7620
							61	---	---	---	---	---	---	12530	18810	16780
4.4	---	---	---	---	---	---	5930	8900	7950							
64	---	---	---	---	---	---	13060	19600	17510							

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com