



LOAD CERTIFICATE : 12.5/80-18

Brand: ASCENSO

Tread Pattern : BHB 310

Ply Rating : 12

Tyre Construction: Bias

Type: Tube Less

Main Applications: Backhoe Loader

TRA Code : R-4



Salient Features

Robust Tread Design:

- Optimum contact area for better stability
- Excellent self cleaning
- Minimum slippage and enhanced traction

Strong Nylon Carcass:

Safeguards the tyre against failures

Thick Under Tread:

Ensures protection from cut and punctures



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Infl. Pressure	Recommended load, kg (lbs)						Infl. Pressure	Recommended load, kg (lbs)					
		SW	OD					Speed, km/h (mph)							Speed, km/h (mph)					
		mm	mm					Drive Wheel			Free Wheel									
		in	in					mm	mm	mm	mm	mm	mm		mm	mm	mm	mm	mm	mm
12.5/80-18	9	308	965	439	2887	12 PR 142 A8 / 129 A8	2.5	4260	2310	2020	1960	1920	1850	3.7	6100	3310	2890	2810	2760	2650
		12.1	38.0	17.3	113.7		36	9380	5090	4450	4320	4230	4070	54	13440	7290	6370	6190	6080	5840

For Mahansaria Tyres Private Limited



Rakshit Singh
 Global Product Manager

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover