



LOAD CERTIFICATE : 18.4-24 IND

Brand: ASCENSO

Tread Pattern : BHB 310

Ply Rating : 12

Tyre Construction: Bias

Type: Tube Less

Main Applications: Backhoe Loader

TRA Code : R-4



Salient Features

Robust Tread Design:

- Optimum contact area for better stability
- Excellent self cleaning
- Minimum slippage and enhanced traction

Strong Nylon Carcass:

Safeguards the tyre against failures

Thick Under Tread:

Ensures protection from cut and punctures



Technical Specification

| Size | Rim | Unloaded Dimension | | SLR | RC | LI/SI or PR | Infl. Pressure | Recommend load, kg (lbs) | | |
|-------------|-----|--------------------|------|------|-------|-----------------|----------------|--------------------------|-----|----|
| | | SW | OD | | | | | Speed, km/h(mph) | | |
| | | mm | mm | | | | mm | mm | Bar | 40 |
| | | In | in | | | | in | in | Psi | 25 |
| 18.4-24 IND | 15 | 467 | 1375 | 621 | 4113 | 12 PR 155 A8 | 2.5 | 3875 | | |
| | | 18.4 | 54.1 | 24.5 | 162.0 | | 37 | 8540 | | |

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com