



LOAD CERTIFICATE: 19.5L-24 IND

Brand: ASCENSO

Tread Pattern : BHB 312

Ply Rating : 12

Tyre Construction : Bias

Type : Tubeless

Main Applications: Backhoe Loader

TRA Code : R-4



Salient Features

Special Rounded Tread Bars:

Reduces vehicle vibration and enhances operator comfort

Wider Lugs:

Optimum contact area for high traction

Thick Under Tread:

Ensures protection from cuts and punctures



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommend load, kg(lbs)		
		SW	OD					Speed , km/h(mph)		
		mm	mm				mm	mm	Bar	40
		In	in				in	in	Psi	25
19.5L-24IND	17	495	1314	596	3930	12PR 151A8	2.3	3450		
		19.5	51.7	23.5	154.7		34	7600		

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com