



## LOAD CERTIFICATE : 11L – 16

**Brand:** ASCENSO

**Tread Pattern :** BHB 313

**Ply Rating :** 10

**Tyre Construction:** Bias

**Type:** Tube Less

**Main Applications:** Backhoe Loader

**TRA Code :** F-3



## Salient Features

### **Robust Tread Design:**

- Provides directional stability
- Increase flotation

### **Reinforced Sidewall:**

Enhance protection against cuts & damage



# Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Infl. Pressure	Recommended load, kg ( lbs)		
		SW	OD					Speed/h(mph)		
		mm	mm				mm	mm	Bar	40
		In	in				in	in	Psi	25
11L-16	8	279	808	369	2417	10PR 112 A8	<b>3.6</b>	<b>1120</b>		
		11.0	31.8	14.5	95.2		53	2464		

**Note:** All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)