



# LOAD CERTIFICATE : 11.00 - 20

**Brand:** ASCENSO

**Tread Pattern :** BOSS MINING

**Ply Rating :** 18

**Tyre Construction:** Bias

**Type:** Tube Type

**Main Applications:** Mining

**TRA Code:** ML



## Salient Features

### **Non – directional Tread Design:**

- Provides best traction and stability in reverse and forward direction

### **Specially – designed CPR compound**

- Cooler running to prevent tread separation
- Provides excellent puncture resistance
- Ensures superior re-treadability



# Technical Specification

Tyre Size	PR	TT/TL	Load Index/Speed Symbol	Rim	Unloaded Inflated Dimension				Static Loaded Radius		Rolling Circumference		Load Carrying Capacity			
					SW		OD						Max.Load		Inflation Pressure	
					mm	in	mm	in	mm	in	mm	in	Kg	lbs	bar	psi
11.00-20	18	TT	146 G	8.0	293	11.5	1104	43.5	500	19.7	3302	130	3000	6610	7.6	110

**Note:** All tyres confirm to ETRTO standards

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)