



LOAD CERTIFICATE: 12.00-24

Brand: ASCENSO

Tread Pattern : BOSS MINING

Ply Rating : 20

Tyre Construction: Bias

Type: Tube Type

Main Applications: Mining

TRA Code: ML



Salient Features

Non-directional Tread Design:

Provides best traction and stability in
Reverse and forward direction

Specially – designed CPR compound:

Cooler running to prevent tread
separation
Provides excellent puncture resistance
Ensures superior re-treadability



Technical Specification

Tyre Size	PR	TT/TL	Load Index/Speed Symbol	Rim	NSD	Unloaded Inflated Dimension				Static Loaded Radius		Rolling Circumference		Load Carrying Capacity			
						SW		OD						Max.Load		Inflation Pressure	
						Mm	in	mm	in	mm	in	mm	in	Kg	lbs	bar	psi
12.00-24	20	TT	155 F	8.5	23.5	315	12.4	1247	49.1	568	22.4	3730	146.8	3875	8540	7.9	115

Note: All tyres confirm to ETRTO standards

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com