



# LOAD CERTIFICATE: 10.00 – 20

**Brand:** ASCENSO

**Tread Pattern :** EXB 380

**Ply Rating :** 16

**Type :** Tube Type

**Main Applications:** Excavator

**TRA Code :** E-2



## Salient Features

### **Optimized Lug Angle:**

Excellent traction & self cleaning  
Properties

### **Wider Tread Pattern:**

Provides excellent stability during  
vehicle operation

### **Strong Nylon Casing:**

Enhanced load carrying capacity



# Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommend load, kg (lbs)									
		SW	OD					Speed, km/h(mph)									
		mm	mm	mm	mm		Bar	5	10	20	25	30	35	40	45	50	
		In	in	in	in		Psi	3	6	12	16	19	22	25	28	31	
10.00-20	7.5	275	1052	479	3147	16PR	<b>7.5</b>	6300	4410	3690	3560	3500	3470	3340	3210	<b>3150</b>	
		10.8	41.4	18.9	123.9	148 B	109	1388 0	9710	8130	7840	7710	7640	7360	7070	6940	

**Note:** All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)