



LOAD CERTIFICATE: 11.00 - 20

Brand: ASCENSO

Tread Pattern : EXB 380

Ply Rating : 16

Type : Tube Type

Main Applications: Excavator

TRA Code : E-2



Salient Features

Optimized Lug Angle:

Excellent traction & self cleaning
Properties

Wider Tread Pattern:

Provides excellent stability during
vehicle operation

Strong Nylon Casing:

Enhanced load carrying capacity



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommend load, kg (lbs)									
		SW	OD					Speed, km/h(mph)									
		mm	mm	mm	mm		Bar	5	10	20	25	30	35	40	45	50	
		In	in	in	in		Psi	3	6	12	16	19	22	25	28	31	
11.00-20	8	286	1082	491	3237	16PR	7.2	6500	4550	3800	3670	3610	3580	3450	3320	3250	
		11.3	42.6	19.3	127.4	153 B	104	14320	10020	8370	8080	7950	7890	7600	7310	7160	

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com