



LOAD CERTIFICATE: 8.25 – 20

Brand: ASCENSO

Tread Pattern : EXB 380

Ply Rating : 14

Type : Tube Type

Main Applications: Excavator

TRA Code : E-2



Salient Features

Optimized Lug Angle:

Excellent traction & self cleaning
Properties

Wider Tread Pattern:

Provides excellent stability during
vehicle operation

Strong Nylon Casing:

Enhanced load carrying capacity



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommend load, kg (lbs)									
		SW	OD					Speed, km/h(mph)									
		mm	mm	5	10		20	25	30	35	40	45	50				
		In	in	Bar	Psi		3	6	12	16	19	22	25	28	31		
8.25-20	6.5	230	962	442	2878	14PR	6.8	4120	2880	2410	2330	2290	2270	2180	2100	2060	
		9.1	37.9	17.4	113.3	133 B	98	9070	6340	5310	5130	5040	5000	4800	4630	4540	

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com