



# LOAD CERTIFICATES: 600/50R22.5

**Brand:** ASCENSO

**Tread Pattern :** FTR 170

**Tyre Construction:** Radial

**LSI :** 159 D

**Type:** Tube Less

**Main Applications:** Implements, Trailers, Slurry Tankers and Dump Trailer

**TRA Code :** I-3



## Salient Features

### Steel Belted Directional Tread for Superior Traction:

- Homogenous Pattern for On Road and Farm Applications
- Tyres Designed for High load and Speed Operations.
- Ensure traction and self-cleaning during field operation.
- Enhanced Roadability ensuring Better Mileage.



# Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)									
								Speed, km/h (mph)									
		SW	OD	mm	mm	mm		mm	bar	Mixed application							
		mm	mm							psi	Static	10	25	30	40	50	65
		in	in							in	in	in	in	in	in	in	in
600/50R22.5	AG20.00	611 24.1	1172 46.1	534 21.0	3505 138.0	159 D	1.9	5470	4280	3760	3590	3240	2880	2380			
							28	12050	9430	8280	7910	7140	6340	5240			
							2	6350	4970	4360	4170	3750	3340	2760			
							33	13990	10950	9600	9190	8260	7360	6080			
							2.8	7430	5810	5100	4880	4390	3910	3230			
							41	16370	12800	11230	10750	9670	8610	7110			
							3.4	8740	6840	6000	5740	5170	4600	3800			
							49	19250	15070	13220	12640	11390	10130	8370			
							4	10060	7880	6910	6610	5950	5290	4375			
							58	22160	17360	15220	14560	13110	11650	9640			

**Note:** All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)