



LOAD CERTIFICATES: 710/50R26.5

Brand: ASCENSO

Tread Pattern : FTR 170

Tyre Construction: Radial

LSI : 170 D

Type: Tube Less

Main Applications: Implements, Trailers, Slurry Tankers and Dump Trailer

TRA Code : I-3



Salient Features

Steel Belted Directional Tread for Superior Traction:

- Homogenous Pattern for On Road and Farm Applications
- Tyres Designed for High load and Speed Operations.
- Ensure traction and self-cleaning during field operation.
- Enhanced Roadability ensuring Better Mileage.



Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)										
		Speed, km/h (mph)																
		Mixed application																
		SW	OD					mm	mm	bar	psi	Static	10	25	30	40	50	65
		mm	mm									6	16	19	25	31	40	
in	in	in	in	in	in	in	in	in	in	in	in	in						
710/50R26.5	AG24.00	726 28.6	1383 54.4	629 24.8	4136 162.8	170 D	1.9	7520	5890	5170	4940	4450	3960	3270				
							28	16560	12970	11390	10880	9800	8720	7200				
							2	8720	6820	5990	5720	5150	4590	3790				
							33	19210	15020	13190	12600	11340	10110	8350				
							2.8	10210	7990	7020	6700	6040	5370	4440				
							41	22490	17600	15460	14760	13300	11830	9780				
							3.4	12010	9400	8250	7880	7100	6320	5220				
							49	26450	20700	18170	17360	15640	13920	11500				
							4	13800	10800	9480	9060	8160	7260	6000				
58	30400	23790	20880	19960	17970	15990	13220											

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com