



# LOAD CERTIFICATE: 10.0/75-15.3

**Brand:** ASCENSO

**Tread Pattern :** IMB 162

**Ply Rating :** 10

**Tyre Construction :** Bias

**Type :** Tubeless

**Main Applications:** 2WD Tractor and Trailers

**TRA Code :** R-1



## Salient Features

### **Specially Designed Directional Tread Pattern :**

Ensures excellent traction & self cleaning properties

### **Superior Carcass Construction:**

High load carrying capacity

### **Special Tread Compound:**

Ensures longer tyre life



# Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	PR	Free/ Drive Wheel	Recommended load , kg ( lbs)										
		SW	OD					Speed , km/h ( mph)										
		mm	mm					Free rolling				Drive wheel						
		In	in	mm	mm			mm	mm	Bar	10	25	40	50	10	25	40	50
				in	in			in	in	Psi	6	16	25	31	6	16	25	31
10.0/75-15.3	9	264	780	356	2333	10	123A8 FR 111A8 DW	3	1860	1580	1330	1200	1320	1120	940	846		
								44	4092	3476	2926	2640	2904	2464	2068	1861		
								3.3	1970	1680	1410	1270	1390	1180	990	891		
								48	4334	3696	3102	2794	3058	2596	2178	1960		
								3.6	2070	1760	1480	1330	1460	1240	1040	936		
								52	4554	3872	3256	2926	3212	2728	2288	2059		
								<b>3.9</b>	2170	1840	<b>1550</b>	1400	1530	1300	<b>1090</b>	981		
								57	4774	4048	3410	3080	3366	2860	2398	2158		

**Note:** All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)