



LOAD CERTIFICATE: 19.0/45-17

Brand: ASCENSO

Tread Pattern : IMB 162

Ply Rating : 10

Tyre Construction : Bias

Type : Tubeless

Main Applications: 2WD Tractor and Trailers

TRA Code : R-1



Salient Features

Specially Designed Directional Tread

Pattern :

Ensures excellent traction & self cleaning properties

Superior Carcass Construction:

High load carrying capacity

Special Tread Compound:

Ensures longer tyre life



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	PR	Free/ Drive Wheel	Recommended load , kg (lbs)								
		Speed , km/h (mph)														
		Free rolling						Drive wheel								
		Bar	10					25	40	50	10	25	40	50		
mm	mm	mm	mm													
in	in	in	in													
							LI/SI	Psi	6	16	25	31	6	16	25	31
19.0/45-17	16	470	877	400	2623	10	138 A8 FR 125 A8 DW	1.8	2900	2460	2070	1860	2020	1710	1440	1296
								26	6380	5412	4554	4092	4444	3762	3168	2851
								1.9	3000	2550	2140	1930	2090	1770	1490	1341
								28	6600	5610	4708	4246	4598	3894	3278	2950
								2.1	3180	2700	2270	2040	2210	1880	1580	1422
								30	6996	5940	4994	4488	4862	4136	3476	3128
								2.25	3300	2810	2360	2120	2310	1960	1650	1485
33	7260	6182	5192	4664	5082	4312	3630	3267								

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com