



# LOAD CERTIFICATE: 400/80 – 24

**Brand:** ASCENSO

**Tread Pattern :** MIB 407

**Ply Rating :** 20

**Tyre Construction:** Bias

**Type:** Tube Less

**Main Applications:** Compact Wheel loader and Backhoe Loader

**TRA Code :** R-4



## Salient Features

### **Tread Design:**

- Extra thick sidewall
- Ensure Puncture resistance
- Sidewall allows stability

### **Enhanced Carcass Construction:**

- Ensures high load carrying capacity



# Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommended load, kg (lbs)					
		SW	OD					Speed, km/h (mph)					
		mm	mm					Mixed application					
		in	in					mm	mm	Bar	Static	10	20
		mm	mm	mm	mm	Bar	Static	10	20	30	40		
		in	in	in	in	Bar	Static	10	20	30	40		
		in	in	in	in	Psi	Kmph	Kmph	Kmph	Kmph	Kmph		
400/80-24	DW13	414	1250	569	3738	20PR 162 A8	5.0	10930	5940	5040	4940	4750	

**Note:** All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India T: +91 22

4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)