



LOAD CERTIFICATE: 440/80 – 24

Brand: ASCENSO

Tread Pattern : MIB 407

Ply Rating : 22

Tyre Construction: Bias

Type: Tube Less

Main Applications: Compact Wheel loader and Backhoe Loader

TRA Code : R-4



Salient Features

Tread Design:

- Extra thick sidewall
- Ensure Puncture resistance
- Sidewall allows stability

Enhanced Carcass Construction:

- Ensures high load carrying capacity



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommended load, kg (lbs)					
		SW	OD					Speed, km/h (mph)					
		mm	mm					Mixed application					
		in	in					mm	mm	mm	mm	mm	mm
		mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
		in	in	in	in	in	in	in	in	in	in	in	
		Bar	Static	10	20	30	40						
		Psi	Kmph	Kmph	Kmph	Kmph	Kmph						
440/80-24	DW 14L	451	1314	595	3930	22PR	5.0	12880	7000	5940	5820	5600	
						168 A8							

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India T: +91 22

4348 1600 Website: www.ascensotyres.com