



LOAD CERTIFICATE:12-16.5

Brand: ASCENSO

Tread Pattern : SSB 330

Ply Rating : 12

Tyre Construction : Bias

Type : Tubeless

Main Applications: Skid Steer

TRA Code : R-4



Salient Features

Solid Centre Lug:

Improve tyre wear on hard surfaces

Open Shoulder Design:

Increases traction on loose off-road surfaces



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommend load, kg (lbs)
		SW	OD					Speed, km/h(mph)
		mm	mm					Mixed Application
		In	in					
12-16.5	9.75	307	831	380	2486	12PR	Bar	10
		12.1	32.7	15.0	97.9	145 A2	Psi	7
							5.5	2900
							80	6393

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com