



# LOAD CERTIFICATE: 12-16.5

**Brand:** ASCENSO

**Tread Pattern :** SSB 332

**Ply Rating :** 12

**Tyre Construction :** Bias

**Type :** Tubeless

**Main Applications:** Skid Steer

**TRA Code :** L-5



## Salient Features

### **Extra Deep Tread Depth:**

Superior traction and long life

### **Wider and Sturdier Blocks:**

High stability and puncture resistance

### **Advanced Tread Compound:**

Excellent wear resistance in severe conditions



# Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommend load, kg (lbs)
		SW	OD					Speed, km/h(mph)
		mm	mm					Mixed Application
		In	in					Bar
12-16.5	9.75	307	831	380	2486	12PR 145 A2	Psi	10
		12.1	32.7	15.0	97.9		7	2900
								6393

**Note:** All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)