



LOAD CERTIFICATES : 380/70R24

Brand: ASCENSO

Tread Pattern : TDR 700

Tyre Construction: Radial

LSI: 125 D

Type: Tube Less

Main Applications: 4WD Tractor

TRA Code : R-1W



Salient Features

Tractor tyres designed with a unique mud breaker:

- Low soil compaction
- High traction
- Excellent driving experience



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)									
		SW	OD					Speed, km/h (mph)									
								Mixed application									
								Bar	Static	10	25	30	40	50	65		
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
in	in	in	in	in	in	in	Psi	Static	6	16	19	25	31	40	40	40	40
380/70 R 24	W12	380 15.0	1190 46.9	545 21.5	3560 140.2	125 D	0.8	2420	1580	1240	1210	1150	1100	1050			
							12	5330	3480	2730	2670	2530	2420	2310			
							1	2760	1800	1420	1380	1310	1260	1200			
							15	6080	3960	3130	3040	2890	2780	2640			
							1.2	3110	2030	1600	1550	1480	1420	1350			
							17	6850	4470	3520	3410	3260	3130	2970			
							1.4	3450	2250	1780	1730	1640	1580	1500			
							20	7600	4960	3920	3810	3610	3480	3300			
							1.6	3800	2480	1960	1900	1810	1730	1650			
							23	8370	5460	4320	4190	3990	3810	3630			

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com