



LOAD CERTIFICATES : 480/70R24

Brand: ASCENSO

Tread Pattern : TDR 700

Tyre Construction: Radial

LSI:138 D

Type: Tube Less

Main Applications: 4WD Tractor

TRA Code : R-1W



Salient Features

Tractor tyres designed with a unique mud breaker:

- Low soil compaction
- High traction
- Excellent driving experience



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)						
		SW	OD					Speed, km/h (mph)						
								Mixed application						
								Bar	Static	10	25	30	40	50
Psi	6	16	19	25	31	40								
480/70 R 24	W15	479 18.9	1316 51.8	597 23.5	3936 155.0	138 D	0.8	3470	2270	1790	1740	1650	1590	1510
							12	7640	5000	3940	3830	3630	3500	3330
							1	3960	2580	2040	1980	1880	1810	1720
							15	8720	5680	4490	4360	4140	3990	3790
							1.2	4460	2910	2300	2230	2120	2040	1940
							17	9820	6410	5070	4910	4670	4490	4270
							1.4	4950	3230	2550	2470	2350	2260	2150
							20	10900	7110	5620	5440	5180	4980	4740
							1.6	5430	3540	2800	2710	2580	2480	2360
							23	11960	7800	6170	5970	5680	5460	5200

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com