



LOAD CERTIFICATES : 480/70R30

Brand: ASCENSO

Tread Pattern : TDR 700

Tyre Construction: Radial

LSI: 141 D

Type: Tube Less

Main Applications: 4WD Tractor

TRA Code : R-1W



Salient Features

Tractor tyres designed with a unique mud breaker:

- Low soil compaction
- High traction
- Excellent driving experience



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)									
								Speed, km/h (mph)									
								Mixed application									
		Bar	Static					10	25	30	40	50	65				
		mm	mm	mm	mm		Psi										
		in	in	in	in												
480/70 R 30	W15	479 18.9	1478 58.2	677 26.7	4421 174.1	141 D	0.8	3800	2480	1960	1900	1810	1730	1650			
							12	8370	5460	4320	4190	3990	3810	3630			
							1	4320	2820	2230	2160	2060	1970	1880			
							15	9520	6210	4910	4760	4540	4340	4140			
							1.2	4850	3170	2500	2430	2310	2220	2110			
							17	10680	6980	5510	5350	5090	4890	4650			
							1.4	5380	3510	2770	2690	2560	2460	2340			
							20	11850	7730	6100	5930	5640	5420	5150			
							1.6	5920	3860	3050	2960	2820	2700	2575			
23	13040	8500	6720	6520	6210	5950	5670										

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com