



LOAD CERTIFICATE: 320/85R24

Brand: ASCENSO

Tread Pattern : TDR 850

Tyre Construction: Radial

LSI : 122D

Type: Tube Less

Main Applications: 2WD & 4WD Tractor

TRA Code : R-1W



Salient Features

Tractor tyres designed with a unique mud breaker:

- Low soil compaction
- High traction
- Excellent driving experience



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)						
		SW	OD					Speed, km/h (mph)						
								Mixed application						
								Bar	Static	10	25	30	40	50
Psi	6	16	19	25	31	40								
320/85 R24	W11	329 12.9	1154 45.4	530 20.8	3452 135.9	122 D	0.8	2190	1430	1130	1090	1040	1000	950
							12	4820	3150	2490	2400	2290	2200	2090
							1.0	2480	1620	1280	1240	1180	1130	1080
							15	5460	3570	2820	2730	2600	2490	2380
							1.2	2810	1830	1450	1400	1340	1280	1220
							17	6190	4030	3190	3080	2950	2820	2690
							1.4	3130	2040	1610	1560	1490	1430	1360
							20	6890	4490	3550	3440	3280	3150	3000
							1.6	3450	2250	1780	1730	1640	1580	1500
							23	7600	4960	3920	3810	3610	3480	3300

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com