



LOAD CERTIFICATE: 320/85R36

Brand: ASCENSO

Tread Pattern : TDR 850

Tyre Construction: Radial

LSI : 128D

Type: Tube Less

Main Applications: 2WD & 4WD Tractor

TRA Code : R-1W



Salient Features

Tractor tyres designed with a unique mud breaker:

- Low soil compaction
- High traction
- Excellent driving experience



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)									
		SW	OD					Speed, km/h (mph)									
								Mixed application									
								Bar	Static	10	25	30	40	50	65		
		mm	mm	mm	mm		Psi										
		in	in	in	in												
320/85 R36	W11	329 12.9	1458 57.4	682 26.8	4361 171.7	128 D	0.8	2670	1740	1370	1330	1270	1220	1160			
							12	5880	3830	3020	2930	2800	2690	2560			
							1	3040	1980	1560	1520	1450	1390	1320			
							15	6700	4360	3440	3350	3190	3060	2910			
							1.2	3400	2220	1750	1700	1620	1550	1480			
							17	7490	4890	3850	3740	3570	3410	3260			
							1.4	3770	2460	1940	1890	1800	1720	1640			
							20	8300	5420	4270	4160	3960	3790	3610			
							1.6	4140	2700	2130	2070	1970	1890	1800			
23	9120	5950	4690	4560	4340	4160	3960										

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com