



LOAD CERTIFICATE: 340/85R28

Brand: ASCENSO

Tread Pattern : TDR 850

Tyre Construction: Radial

LSI : 127D

Type: Tube Less

Main Applications: 2WD & 4WD Tractor

TRA Code : R-1W



Salient Features

Tractor tyres designed with a unique mud breaker:

- Low soil compaction
- High traction
- Excellent driving experience



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)									
		SW	OD					Speed, km/h (mph)									
								Mixed application									
								Bar	Static	10	25	30	40	50	65		
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
in	in	in	in	in	in	in	in	in	in	in	in	in	in	in	in	in	in
340/85 R28	W12	353 13.9	1289 50.7	594 23.4	3856 151.8	127 D	0.8	2550	1670	1320	1280	1220	1170	1110			
							12	5620	3680	2910	2820	2690	2580	2440			
							1.0	2920	1910	1500	1460	1390	1330	1270			
							15	6430	4210	3300	3220	3060	2930	2800			
							1.2	3290	2150	1690	1640	1570	1500	1430			
							17	7250	4740	3720	3610	3460	3300	3150			
							1.4	3660	2390	1880	1830	1740	1670	1590			
							20	8060	5260	4140	4030	3830	3680	3500			
							1.6	4030	2630	2070	2010	1920	1840	1750			
							23	8880	5790	4560	4430	4230	4050	3850			

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com