



LOAD CERTIFICATE: 340/85R36

Brand: ASCENSO

Tread Pattern : TDR 850

Tyre Construction: Radial

LSI : 132D

Type: Tube Less

Main Applications: 2WD & 4WD Tractor

TRA Code : R-1W



Salient Features

Tractor tyres designed with a unique mud breaker:

- Low soil compaction
- High traction
- Excellent driving experience



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)						
		SW	OD					Speed, km/h (mph)						
								Mixed application						
								Bar	Static	10	25	30	40	50
mm	mm	mm	mm	mm	mm	Psi	6	16	19	25	31	40		
in	in	in	in	in	in									
340/85 R36	W12	353 13.9	1492 58.7	696 27.4	4463 175.7	132 D	0.8	2940	1920	1520	1470	1400	1340	1280
							12	6480	4230	3350	3240	3080	2950	2820
							1	3360	2190	1730	1680	1600	1530	1460
							15	7400	4820	3810	3700	3520	3370	3220
							1.2	3770	2460	1940	1890	1800	1720	1640
							17	8300	5420	4270	4160	3960	3790	3610
							1.4	4190	2730	2160	2090	1990	1910	1820
							20	9230	6010	4760	4600	4380	4210	4010
							1.6	4600	3000	2370	2300	2190	2100	2000
23	10130	6610	5220	5070	4820	4630	4410							

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com