



LOAD CERTIFICATE: 420/85R34

Brand: ASCENSO

Tread Pattern : TDR 850

Tyre Construction: Radial

LSI : 142D

Type: Tube Less

Main Applications: 2WD & 4WD Tractor

TRA Code : R-1W



Salient Features

Tractor tyres designed with a unique mud breaker:

- Low soil compaction
- High traction
- Excellent driving experience



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)							
								Speed, km/h (mph)							
								Mixed application							
		SW	OD							10	25	30	40	50	65
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm			
in	in	in	in	in	in	in	in	in	in	in	in	in			
								Bar	Static	6	16	19	25	31	40
								Psi	Static	6	16	19	25	31	40
420/85 R34	W15L	438	1578	727	4720	142 D	0.8	3890	2540	2000	1940	1850	1770	1690	
							12	8570	5590	4410	4270	4070	3900	3720	
							1	4440	2900	2290	2220	2110	2030	1930	
							15	9780	6390	5040	4890	4650	4470	4250	
							1.2	4990	3260	2570	2500	2380	2280	2170	
							17	10990	7180	5660	5510	5240	5020	4780	
							1.4	5540	3620	2860	2770	2640	2530	2410	
							20	12200	7970	6300	6100	5810	5570	5310	
							1.6	6100	3980	3140	3050	2900	2780	2650	
							23	13440	8770	6920	6720	6390	6120	5840	

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com