



# LOAD CERTIFICATE: 13.00-24

**Brand:** ASCENSO

**Tread Pattern :** TGB 610

**Ply Rating :** 16

**Tyre Construction:** Bias

**Type:** Tubeless

**Main Applications:** Grader

**TRA Code :** G-2



## Salient Features

### **Open Tread Design:**

Optimum traction on soil, sand, rock or gravel

### **Reinforced Carcass:**

Withstands grading operation

### **Abrasion Resistant Tread Compound:**

Ensures longer service life and low operating cost



# Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommended load,kg (lbs)		
		SW	OD					<b>Speed/h(mph)</b>		
		mm	mm				mm	mm	Bar	40
		In	in				in	in	Psi	25
13.00-24	8	333	1278	581	3823	16 PR 149 A8	<b>4.0</b>	<b>3250</b>		
		13.1	50.3	22.8	150.5		59	7150		

**Note:** All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)