



LOAD CERTIFICATE: 14.00-24

Brand: ASCENSO

Tread Pattern : TGB 610

Ply Rating : 16

Tyre Construction: Bias

Type: Tubeless

Main Applications: Grader

TRA Code : G-2



Salient Features

Open Tread Design:

Optimum traction on soil, sand, rock or gravel

Reinforced Carcass:

Withstands grading operation

Abrasion Resistant Tread Compound:

Ensures longer service life and low operating cost



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommended load,kg (lbs)		
		SW	OD					Speed/h(mph)		
		mm	mm				mm	mm	Bar	40
		In	in				in	in	Psi	25
14.00-24	8	362	1348	610	4032	16 PR 153 A8	3.8	3650		
		14.2	53.0	24.0	158.7		55	8030		

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com