



LOAD CERTIFICATE: 15.5/80-24

Brand: ASCENSO

Tread Pattern : THB 230

Ply Rating : 16

Tyre Construction: Bias

Type: Tube Less

Main Applications: Telehandler

TRA Code : R-1



Salient Features

Specially Designed Directional Tread Pattern:

- Ensures traction & self cleaning properties
- Provides excellent stability during vehicle operation

Strong Nylon Carcass:

- Safeguards the tyre against failures



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Infl. Pressure	Recommend load, kg (lbs)		
		SW	OD					Speed, km/h(mph)		
		mm	mm				mm	mm	Bar	40
		In	in				in	in	Psi	25
15.5/80-24 (400/80-24)	13	394	1266	576	3787	16 PR 163 A8	5	4875		
		15.5	49.8	22.7	149.1		73	10725		

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com