



# LOAD CERTIFICATES: 600/70 R 30

---

**Brand:** ASCENSO

**Tread Pattern :** XLR 880

**Tyre Construction:** Radial

**LSI :** 152 D

**Type:** Tube Less

**Main Applications:** 4WD Tractor

**TRA Code :** R-1W



## Salient Features

### **Optimum Tread Design:**

Maximum performance in field and on road operations

### **First in the Industry with Dual Mud Breakers:**

Ensure better self-cleaning and Maximum traction

### **Greater Lug Overlap:**

Provides safe and comfortable ride at high speeds



# Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)									
		SW	OD					Speed, km/h (mph)									
								Mixed application									
								Bar	Static	10	25	30	40	50	65		
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
in	in	in	in	in	in	in	Psi	Static	6	16	19	25	31	40	40	40	40
600/70R 30	DW20B	611 24.1	1602 63.1	728 28.7	4791 188.6	152 D	0.8	5220	3410	2690	2610	2490	2380	2270			
							12	11500	7510	5930	5750	5480	5240	5000			
							1.0	5960	3890	3070	2980	2840	2720	2590			
							15	13130	8570	6760	6560	6260	5990	5700			
							1.2	6690	4370	3450	3350	3190	3060	2910			
							17	14740	9630	7600	7380	7030	6740	6410			
							1.4	7430	4850	3830	3710	3540	3390	3230			
							20	16370	10680	8440	8170	7800	7470	7110			
							1.6	8170	5330	4210	4080	3890	3730	3550			
							23	18000	11740	9270	8990	8570	8220	7820			

**Note:** All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)