



LOAD CERTIFICATES: 7.50-15

Brand: ASCENSO

Tread Pattern : FLB 680

Tyre Construction: Bias

LSI : 12

Type: Tube Type

Main Applications: Forklifts

TRA Code : IND-1



Salient Features

UNIQUE BLOCK PATTERN DESIGN:

- Ensures High traction.
- Optimum Load Distribution and wide footprint for Strong Stability.
- Enhanced performance on both indoor and outdoor Areas.



Technical Specification

Size	Rim	Unloaded Dimensions		Static Load Radius	Static Load Radius	PR & LI	Inflation Pressure	Recommended load (kg)	
		SW	OD					Speed	
		mm	mm					Load Wheel	Steer Wheel
		in	in					in	in
7.50-15	6.00X15	215	808	367	2417	12	7.9	3490	2650
		8.46	31.81	14.45	95.16		115	7690	5840

Note:All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com