



# LOAD CERTIFICATES: 8.15-15 (28X9-15)

---

**Brand:** ASCENSO

**Tread Pattern :** FLB 680

**Tyre Construction:** Bias

**LSI :** 14

**Type:** Tube Type

**Main Applications:** Forklifts

**TRA Code :** IND-1



## Salient Features

### UNIQUE BLOCK PATTERN DESIGN:

- Ensures High traction.
- Optimum Load Distribution and wide footprint for Strong Stability.
- Enhanced performance on both indoor and outdoor Areas.



# Technical Specification

Size	Rim	Unloaded Dimensions		Static Load Radius	Static Load Radius	PR & LI	Inflation Pressure	Recommended load (kg)	
		SW	OD					Speed	
		mm	mm					Load Wheel	Steer Wheel
		in	in					in	in
8.15-15 (28X9-15)	7.00X15	221	706	325	2111	14	9.7	3415	2595
		8.70	27.80	12.80	83.11		141	7520	5720

**Note:**All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)