



# LOAD CERTIFICATES: 8.25-15

**Brand:** ASCENSO

**Tread Pattern :** FLB 680

**Tyre Construction:** Bias

**LSI :** 14

**Type:** Tube Type

**Main Applications:** Forklifts

**TRA Code :** IND-1



## Salient Features

### **UNIQUE BLOCK PATTERN DESIGN:**

- Ensures High traction.
- Optimum Load Distribution and wide footprint for Strong Stability.
- Enhanced performance on both indoor and outdoor Areas.



# Technical Specification

Size	Rim	Unloaded Dimensions		Static Load Radius	Static Load Radius	PR & LI	Inflation Pressure	Recommended load (kg)	
		SW	OD					Speed	
		mm	mm					Load Wheel	Steer Wheel
		in	in					mm	mm
8.25-15	6.50X15	236	847	383	2533	14	8.3	4255	3235
		9.29	33.35	15.08	99.72		120	9370	7130

**Note:**All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)