



## LOAD CERTIFICATES: 16.0/70-20

---

**Brand:** ASCENSO

**Tread Pattern :** MPB 400

**Tyre Construction:** Bias

**Ply Rating:** 14

**Type:** Tube Less

**Main Applications:** Telehandlers, Compact wheel loader, and implement machinery.

**TRA Code :** R-4



## Salient Features

### **Specially designed for Multipurpose Applications:**

- Wider Centre Lug for Comfort & Smooth Ride.
- Designed for Better Grip & Traction.
- Increased carcass strength for Durability.



# Technical Specification

Size	Rim	Unloaded Dimensions		Static Load Radius	Rolling Circumference	PR / Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)									
		SW	OD					Speed, km/h (mph)									
		mm	mm	mm	mm	Mixed application											
		in	in	in	in	bar	15	20	30	40	50	60	70	80	90		
						psi	9	12	19	25	31	37	43	50	56		
16.0/70-20 (ECE54)	13SD	407	1076	488	3218	14PR	3.5	4790	4350	3630	3340	3250	3190	3100	3020	2900	
	C	16.0	42.4	19.2	126.7	145 G	51	10550	9580	8000	7360	7160	7030	6830	6650	6390	

**Note:** All tyres conform to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover