



BOSS TS 10

Product Data Sheet

Marketing Department.
October 23, 2020

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website www.ascensotyres.com

Release Month: October'20

Brand: ASCENSO

Tread Pattern : BOSS TS 10

Tyre Construction: Bias

Type: Tube Type

Main Applications: 2 WD Tractor

TRA Code: F2

List of Sizes

Size	PR
6.00-16	8
6.50-16	8
7.50-16	8



Salient Features

Specially – designed CCR compound for:

- Puncture and cut- resistance
- Extra mileage

Wider centre rib:

Optimum road contact for better steering control



Technical Specification

Tyre Size	PR	TT/TL	Load Index/Speed Symbol	Rim	Unloaded Inflated Dimension				Static Loaded Radius		Rolling Circumference		Load Carrying Capacity			
					SW		OD						Max.Load		Inflation Pressure	
					mm	in	mm	in	mm	in	mm	in	kg	lbs	bar	psi
6.00-16	8	TT	94 A6	4.50E	165.0	6.5	732.0	28.8	337.5	13.3	2189.3	86.2	670	1474	4.5	65
6.50-16	8	TT	98 A6	4.50E	175.0	6.9	761.0	30.0	349.5	13.8	2276.0	89.6	750	1650	4.2	61
7.50-16	8	TT	103 A6	5.50F	205.0	8.1	805.0	31.7	367.6	14.5	2407.6	94.8	875	1925	3.7	54

Note: All tyres confirm to ETRTO standards

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com