



MPR 390

Product Data Sheet

Marketing Department.

December 28, 2022

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website www.ascensotyres.com

Release Month: December'22

Brand: ASCENSO

Tread Pattern : MPR 390

Tyre Construction: Radial

Type: Tube Less

Main Applications: Trailer

TRA Code : MPT

List of Sizes

Size	LSI
355/60R18	142J



Salient Features

- Optimized Tread Design provides **quite run at high speeds**
- Carcass optimised for **better ride comfort**
- Tread design optimised for **better mileage and fuel efficiency**



Technical Specification

Size	Rim Width (inch)	Unloaded Dimension		Loaded Static Radius	Rolling Circumference	LOAD INDEX / SPEED SYMBOLOL	Inflation Pressure	Recommend load, kg (lbs)									
		SW	OD				6	Speed, km/h (mph)									
		mm	mm	mm	mm		10										
		inch	inch	inch	inch		Bar	15	20	30	40	50	65	80	90	100	
355/60R18	11	353	883	404	2641	16PR 142 J	6	4370	3980	3310	3050	2970	2880	2760	2700	2650	
		13.8	34.7	15.9	103.9		87	9630	8770	7290	6720	6540	6340	6080	5950	5840	

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com