



# PEB 721

---

## Product Data Sheet

Marketing Department.  
December 28, 2022

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website [www.ascensotyres.com](http://www.ascensotyres.com)

**Release Month:** December'22

**Brand:** ASCENSO

**Tread Pattern :** PEB 721

**Tyre Construction:** Bias

**Type:** Tube Type/ Tube Less

**Main Applications:** Port

**TRA Code :** IND-4

List of Sizes

Size	PR
12.00-24	20
18.00-25	40



## Salient Features

- High rubber distribution provides **higher traction and better load carrying capacity**
- Optimized tread design for **quick heat dissipation and cooler running** on hard concrete surfaces
- Strong casing/carcass with **special compound** for heavy duty applications



# Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	PR	Inflation Pressure	Recommend Load, Kg (lbs)	Inflation Pressure	Recommend Load, Kg (lbs)		
		SW	OD					Speed Km/h (mph)		Speed Km/h (mph)		
		mm	mm				mm	mm	Bar	25	Bar	10
		In	in				in	in	PSI	16	PSI	6
12.00-24	8.5	315	1265	575	3783	20	9.9	8630	9.9	9320		
		12.4	49.8	22.6	149		144	19030	144	20550		
18.00-25	13.00/2.5	528	1675	747	5010	40	10.3	21250	10.3	22950		
		20.8	65.9	29.4	197.2		150	46860	150	50600		

**Note:** All tyres confirm to ETRTO standards

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)