



# LOAD CERTIFICATES: 260/70R16

---

**Brand:** ASCENSO

**Tread Pattern :** CDR 700

**Tyre Construction:** Radial

**LSI :** 109 D

**Type:** Tube Less

**Main Applications:** Compact Tractors

**TRA Code:** R-1W



## Salient Features

### **MULTI-ANGLE TREAD PATTERN:**

- Distinctive shoulder design provides high traction.
- Dual Mud Breaker ensure better self-cleaning properties.

### **Handling & Comfort:**

- Larger Footprint ensures better stability on Field and on road.
- Safeguards comforts on all surfaces.



# Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)						
		SW	OD					Speed, km/h (mph)						
		mm	mm	Mixed application										
		in	in	mm	mm			bar	Static	10	25	30	40	50
				in	in	psi								
260/70R16	W8	258 10.16	770 30.31	353 13.90	2303 90.67	109 D	1.2	1430	930	730	710	680	650	620
							17	3150	2050	1610	1560	1500	1430	1370
							1	1590	1040	820	790	760	720	690
							20	3500	2290	1810	1740	1670	1590	1520
							1.7	1820	1190	940	910	870	830	790
							25	4010	2620	2070	2000	1920	1830	1740
							2.1	2140	1400	1100	1070	1020	980	930
							30	4710	3080	2420	2360	2250	2160	2050
							2.4	2370	1550	1220	1180	1130	1080	1030
							35	5220	3410	2690	2600	2490	2380	2270

**Note:** All tyres conform to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)