



LOAD CERTIFICATE: 10-16.5

Brand: ASCENSO

Tread Pattern : SSB 330

Ply Rating : 12

Tyre Construction : Bias

Type : Tubeless

Main Applications: Skid Steer

TRA Code : R-4



Salient Features

Solid Centre Lug:

Provide wide contact and stability

Open Shoulder Design:

Increases traction on loose off-road surfaces



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommend load, kg (lbs)		
		SW	OD					Speed, km/h(mph)		
		mm	mm					Mixed Application		
		In	in				mm	mm	Bar	10
		mm	mm				in	in	Psi	7
10-16.5	8.25	264 10.4	773 30.4	356 14.0	2312 91.0	10PR 134A2	5.2	2140		
							75	4710		

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com