



LOAD CERTIFICATE : 18.4-26

Brand: ASCENSO

Tread Pattern : BHB 315

Ply Rating : 14

Tyre Construction: Bias

Type: Tube Less

Main Applications: Backhoe loader machinery

TRA Code : IND



Salient Features

- Unique Tread Design
- Wide and sturdy centre block gives high contact area and better stability
- High solid to void ratio gives long service life
- Superior compound provides ability to work in tough construction applications.



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommend load, kg (lbs)
		SW	OD					Speed, km/h(mph)
								Mixed Application
		mm	mm				Bar	40
		in	in	in	in	Psi	25	
18.4-26	W16L	467	1426	646	4265	14PR 160 A8	2.9	4500
		18.4	56.1	25.4	167.9		42	9910

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com