



## LOAD CERTIFICATES: 12.5-20

---

**Brand:** ASCENSO

**Tread Pattern :** MPB 401

**Tyre Construction:** Bias

**Ply Rating:** 12

**Type:** Tube Less

**Main Applications:** Telehandlers, Compact wheel loader

**TRA Code :** MPT



## Salient Features

- Unique tread design for **multi-purpose vehicles**
- Carcass and compound designed & validated for **high-speed and tough working conditions**



# Technical Specification

Size	Rim	Unloaded dimension		Load d Static	Rolling Circumf erence	PR LOAD INDEX / SPEED SYMBOL	Recommended load, <b>kg (lbs)</b>									
							Speed, <b>km/h (mph)</b>									
		SW	OD	Radius	press.		<b>Mixed application</b>									
		mm	mm	mm			15	20	30	40	50	<b>60</b>	<b>70</b>	<b>80</b>	<b>90</b>	
		inch	inch	inch			9	12	19	25	31	37	43	50	56	
12.5-20	11	325	1040	473	3110	12PR 132 G	3.5	3300	3000	2500	2300	2240	2200	2140	2080	2000
		12.7	40.9	18.6	122.4		51	7270	6610	5510	5070	4930	4850	4710	4580	4410

**Note:**All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover