



LOAD CERTIFICATE: 14.00-24

Brand: ASCENSO

Tread Pattern : PEB 720


Tyre Construction: Bias

Ply Rating: 28

Type: Tube Less

Main Applications: Empty Container Handler

TRA Code : IND-3



Salient Features

Highly Versatile and Superior Design

Superior traction and excellent performance

Deep Wide Tread Grooves

Reduce risk of groove cracks and heat build up

Special Tread Compound

Minimizes wear and extends tire life significantly



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommend load, kg (lbs)	Inflation Pressure	Recommend load, kg (lbs)		
		SW	OD					Speed, kmph (mph)		Speed, kmph (mph)		
		mm	mm					Bar		50	Bar	10
		inch	inch					Psi		31	Psi	7
14.00-24	10	375	1370	619	4098	28 PR 188 A 2	6.5	5600	9.25	10000		
		14.7	53.9	24.3	161.3		85	12320	135	22000		

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com