



## LOAD CERTIFICATE: 480/70R34(SB) (SG)

---

**Brand:** ASCENSO

**Tread Pattern :** TDR 700

**Tyre Construction:** Radial

**LSI :** 157 D

**Type:** Tube Less

**Main Applications:** Tractors

**TRA Code :** R-1W



## Salient Features

### Tractor tyres designed with a unique mud breaker:

- Low soil compaction
- High traction
- Excellent driving experience



# Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)						
		SW	OD					Speed, km/h (mph)						
		mm	mm					Mixed application						
		in	in					mm	mm	mm	mm	mm	mm	
480/70R34 (SB) (SG)	W15	479 18.9	1580 62.2	728 28.7	4745 186.8	157D	Bar	Static	10	25	30	40	50	65
							Psi		6	16	19	25	31	40
							2.0	6970	4550	3590	3480	3320	3180	3030
							29	15350	10020	7910	7670	7310	7000	6670
							2.4	7430	4850	3830	3710	3540	3390	3230
							35	16370	10680	8440	8170	7800	7470	7110
							2.8	8140	5310	4190	4070	3880	3720	3540
							41	17930	11700	9230	8960	8550	8190	7800
							3.2	8790	5730	4530	4390	4180	4010	3820
46	19360	12620	9980	9670	9210	8830	8410							
3.6	9490	6190	4890	4740	4520	4330	4125							
52	20900	13630	10770	10440	9960	9540	9090							

**Note:**

SB- Steel Belt, SG- Stubble Guard  
 All tyre confirm to ETRTO standards