



LOAD CERTIFICATES: 750/60R30.5 (SB)

Brand: ASCENSO

Tread Pattern : FTR 170

Tyre Construction: Radial

LSI : 181 D

Type: Tube Less

Main Applications: Implements, Trailers, Slurry Tankers and Dump Trailer

TRA Code : IMP



Salient Features

Steel Belted Directional Tread for Superior Traction:

- Homogenous Pattern for On Road and Farm Applications
- Tyres Designed for High load and Speed Operations.
- Ensure traction and self-cleaning during field operation.
- Enhanced Roadability ensuring Better Mileage.



Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)						
								Speed, km/h (mph)						
		SW	OD	mm	mm	mm		mm	Mixed application					
		mm	mm						Static	10	25	30	40	50
in	in	in	in	in	in	bar	psi	6	16	19	25	31	40	
750/60R30.5 (SB)	AG24.00	754	1675	759	5010	181 D	2.4	12740	9970	8750	8370	7530	6700	5540
							35	28060	21960	19270	18440	16590	14760	12200
							2.8	14420	11290	9910	9470	8530	7590	6270
							41	31760	24870	21830	20860	18790	16720	13810
							3.2	15870	12420	10900	10420	9380	8350	6900
							46	34960	27360	24010	22950	20660	18390	15200
							3.6	17410	13630	11960	11430	10300	9160	7570
							52	38350	30020	26340	25180	22690	20180	16670
							4	18980	14850	13040	12460	11220	9980	8250
							58	41810	32710	28720	27440	24710	21980	18170

Note: All tyres conform to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com