



LOAD CERTIFICATES: 460/70R24 (SB)

Brand: ASCENSO

Tread Pattern : MIR 221

Tyre Construction: Radial

LSI : 159 A8/B

Type: Tubeless

Main Applications: Compact wheel Loader, backhoe Loader,
Telescopic Handler

TRA Code : IND



Salient Features

Robust Steel Belted Design:

- Optimised Tread Design
- Provides high durability and grip
- Enhanced Carcass- stability for both On and Off-road operations



Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)							
		SW	OD					Speed, km/h (mph)							
								Constant Load						Cyclic Applications	
		mm	mm					mm	mm	bar	Static	10	25	30	40
in	in	in	in	psi	6	16	19	25	31			6	9		
460/70R24 (SB)	DW15L	465	1254	571	3750	159 A8/B	4	10060	5470	4640	4550	4375	4375	6560	5860
		18.3	49.4	22.5	147.6			58	22160	12050	10220	10020	9640	9640	14450

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com