



LOAD CERTIFICATES: 500/70R24 (SB)

Brand: ASCENSO

Tread Pattern : MIR 221

Tyre Construction: Radial

LSI : 167 A8/B

Type: Tubeless



Main Applications: Compact wheel Loader, backhoe Loader,
Telescopic Handler

TRA Code : IND

Salient Features

Robust Steel Belted Design:

- Optimised Tread Design
- Provides high durability and grip
- Enhanced Carcass- stability for both On and Off-road operations



Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)							
		SW	OD					Speed, km/h (mph)							
								Constant Load					Cyclic Applications		
		mm	mm					mm	mm	Static	10	25	30	40	50
in	in	in	in	bar	6	16	19	25	31		6	9			
							psi								
500/70R24 (SB)	DW16L	503	1310	594	3918	164 A8/B	4	11500	6250	5300	5200	5000	5000	7500	6700
		19.8	51.6	23.4	154.3		58	25330	13770	11670	11450	11010	11010	16520	14760

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com