

# PRODUCT DATA SHEET

## FFB 841

**Tyre Construction:** Bias

**Type:** Tubeless

**Main Applications:** Forestry Forwarder

**TRA Code:** LS-2



### *Salient Features:*

**Optimized Tread Design:**

- Excellent Traction.
- Unique tread design with inter lug-terraces for optimum self-cleaning.
- Effective track compatibility and enhance lateral stability.

**Centre Tie Bar**

- Minimizes lug shuffling in operation.
- Strong Lug Base.

**Reinforced Steel Belts:**

- Provides exceptional puncture resistance & Carry High Load capacity.

**Designed for tracks:**

- A perfect fit with tracks for exceptional grip.

**Stubble guard compound equipped with Robust sidewall.**

- Protection against sharp objects in operation.

**Reinforced Bead Area:**

- Better mounting & Resistance to Slip.



# Technical Data



Size	Recomm. Rim	Unloaded Dimension		Loaded Static Radius	Rolling Circumference	LI/SI or PR	Inflation Pressure	Recommended load (kg) (lbs)				
		SW	OD					Speed (kmph) (mph)				
								Forestry Service (LT)	Skidder Service (HT)	Road Application		
		mm	mm					mm	mm	mm	mm	bar
inch	inch	inch	inch	inch	inch	psi	6	6	16	19	25	
710/40-22.5 (SB)	AG24.00	709	1167	531	3504	24PR	6.0	6700	5450	6700	5830	5450
		27.9	45.9	20.9	138.0	167A8	87	14760	12000	14760	12840	12000
600/55-26.5 (SB)	AG20.00	605	1342	612	4030	20 PR	5.5	6300	5150	6330	5510	5150
		23.8	52.8	24.1	158.7	165 A8	80	13880	11340	13940	12140	11340
710/45-26.5 (SB)	AG24.00	705	1345	614	4039	24 PR	6.0	8000	6500	8000	6960	6500
		27.8	53.0	24.2	159.0	173 A8	87	17620	14320	17620	15330	14320
750/55-26.5 (SB)	AG24.00	769	1473	667	4423	26 PR	6.5	11500	9250	11380	9900	9250
		30.3	58.0	26.3	174.1	185 A8	94	25330	20370	25070	21810	20370

Note: SB-Steel Belted, HT- High Torque, LT- Low Torque

**Note:** All tyres confirm to ETRTO standards

## Mahansaria Tyres Pvt. Ltd.

3rd Floor, Peninsula Chambers, Ganpat Rao Kadam Marg, Lower Parel West, Mumbai 400013, India

T: +91 22 4348 1600 ■ E: enquiry@ascensotyres.com ■ W: [www.ascensotyres.com](http://www.ascensotyres.com)